



An agency of the Government of Ontario



Un organisme du gouvernement de l'Ontario

This document was retrieved from the Ontario Heritage Act Register, which is accessible through the website of the Ontario Heritage Trust at **[www.heritagetrust.on.ca](http://www.heritagetrust.on.ca)**.

---

Ce document est tiré du registre aux fins de la *Loi sur le patrimoine de l'Ontario*, accessible à partir du site Web de la Fiducie du patrimoine ontarien sur **[www.heritagetrust.on.ca](http://www.heritagetrust.on.ca)**.

# ONTARIO HERITAGE ACT HERITAGE PERMIT

**Property Address:** Broad Street Bridge, Lebreton Flats (560 Wellington Street)

**To:**

[Redacted recipient address]

City of Ottawa  
110 Laurier Avenue West  
Ottawa, ON  
K1P 1J1

**RECEIVED**  
2024/06/13  
(YYYY/MM/DD)  
Ontario Heritage Trust

**For:**

1. Structural investigation, in-situ testing, and a structural assessment report to be completed to assess the structural feasibility of opening the Broad Street Bridge to pedestrian traffic, including:
  - In-situ measurements of masonry mortar joint shear strength (ASTM C1531-09) at 4 locations of the bridge
  - In-situ measurement of masonry deformability properties using the flat jack method (ASTM C1197- 09) at 4 locations of the bridge
  - 2-3' cores (one adjacent to each abutment) to confirm fill properties below the asphalt wearing surfaces
  - Raking out and repointing any failed mortar joints with a lime based mortar
2. Graffiti removal using a nonabrasive method. This method will not use sand blasting, high pressure water cleaning, or acid washes

Approval for removing the graffiti is conditional upon:

- The applicant completing a small test patch in a discreet area by to be determined in consultation with Heritage Planning Staff – please contact Heritage Planning when the test patch is taking place
- No use of sealants on the masonry bridge
- If hydraulic oil leaks onto the stone the applicant is required to clean it using proper nonabrasive techniques

**According to plans prepared by Art Engineering and Keller Engineering dated/submitted on: May 9, 2023 and June 15, 2023.**

**Staff contact: Taylor Quibell & Sara Wehbi**

(Page 1 of 2)

**THIS PERMIT EXPIRES TWO YEARS FROM THE DATE OF ISSUANCE**

**THIS PERMIT DOES NOT CONSTITUTE APPROVAL UNDER THE  
ONTARIO BUILDING CODE ACT**

**ANY CHANGES TO THE ABOVE NOTED PLANS REQUIRE  
THE APPROVAL OF THE HERITAGE PLANNING BRANCH**



July 28, 2023

On behalf of Lesley Collins, MCIP RPP  
Program Manager, Heritage Planning Branch

Date