



An agency of the Government of Ontario



Un organisme du gouvernement de l'Ontario

This document was retrieved from the Ontario Heritage Act Register, which is accessible through the website of the Ontario Heritage Trust at **www.heritagetrust.on.ca**.

Ce document est tiré du registre aux fins de la *Loi sur le patrimoine de l'Ontario*, accessible à partir du site Web de la Fiducie du patrimoine ontarien sur **www.heritagetrust.on.ca**.

IN THE MATTER OF THE ONTARIO HERITAGE ACT
R.S.O. 1990 CHAPTER 0.18 AND
550 GERRARD STREET EAST
CITY OF TORONTO, PROVINCE OF ONTARIO

RECEIVED
JUL 19 2000

NOTICE OF PASSING OF BY-LAW

Mr. William Gerrard
Ontario Realty Corporation
Property Development Branch
77 Wellesley Street West
11th Floor
Toronto, Ontario
M7A 1N3

Ontario Heritage Foundation

Take notice that the Council of the City of Toronto has passed By-law No. 410-2000 to designate 550 Gerrard Street East as being of architectural and historical value or interest.

Dated at Toronto this 18th day of July, 2000.


Novina Wong
City Clerk


gw
KT

10/4/00
RC

✓

Authority: Toronto Community Council Report No. 6, Clause No. 17, as adopted by City of Toronto Council on April 11, 12 and 13, 2000; and Toronto Community Council Report No. 11, Clause No. 54, as adopted by City of Toronto Council on July 4, 5 and 6, 2000

Enacted by Council: July 6, 2000

CITY OF TORONTO

BY-LAW No. 410-2000

To designate the property at 550 Gerrard Street East (Don Jail) as being of architectural and historical value or interest.

WHEREAS authority was granted by Council to designate the property at No. 550 Gerrard Street East (Don Jail) as being of architectural and historical value or interest; and

WHEREAS the *Ontario Heritage Act* authorizes the Council of a municipality to enact by-laws to designate real property, including all the buildings and structures thereon, to be of historical or architectural value or interest; and

WHEREAS the Council of the City of Toronto has caused to be served upon the owners of the land and premises known as 550 Gerrard Street East and upon the Ontario Heritage Foundation, Notice of Intention to designate the property and has caused the Notice of Intention to be published in a newspaper having a general circulation in the municipality as required by the *Ontario Heritage Act*; and

WHEREAS the reasons for designation are set out in Schedule "A" to this by-law; and

WHEREAS no notice of objection to the proposed designation was served upon the Clerk of the municipality;

The Council of the City of Toronto HEREBY ENACTS as follows:

1. The property at No. 550 Gerrard Street East, more particularly described in Schedule "B" and shown on Schedule "C" attached to this by-law, is designated as being of architectural and historical value or interest.

2. The City Solicitor is authorized to cause a copy of this by-law to be registered against the property described in Schedule "B" to this by-law in the proper Land Registry Office.

3. The City Clerk is authorized to cause a copy of this by-law to be served upon the owners of the property at No. 550 Gerrard Street East and upon the Ontario Heritage Foundation and to cause notice of this by-law to be published in a newspaper having general circulation in the City of Toronto as required by the *Ontario Heritage Act*.

ENACTED AND PASSED this 6th day of July, A.D. 2000.

CASE OOTES,
Deputy Mayor

NOVINA WONG,
City Clerk

(Corporate Seal)

SCHEDULE "A"**HERITAGE TORONTO****HERITAGE PROPERTY REPORT****550 Gerrard Street East: Don Jail**

This report is the "Long Statement of Reasons for Designation" for the designation of the property at 550 Gerrard Street East (Don Jail) under Part IV of the *Ontario Heritage Act*. It contains Basic Building Data, as well as sections on the Historical Development, Architectural Description and Context of the property. Sources, the "Short Statement of Reasons for Designation" (intended for publication), Map and Photographs are attached.

Basic Building Data:

Address:	550 Gerrard Street East (north side of Gerrard Street East, between St. Matthews Road, Don Jail Roadway, Broadview Avenue and the service road south of Riverdale Hospital)
Ward:	25 (Don River)
Current Name:	Don Jail
Historical Name:	Don Jail
Construction Date:	1859-1864
Architect:	William Thomas
Contractor/Builder:	various contractors and craftsmen including: Skelsey and Sinclair, masonry and ironwork; James Welch, carpenter; Worthington Brothers, masonry; Edward Beckett, ironwork; St. Lawrence Foundry, ironwork; John Thomas, stone carving, attrib. (Stevens Burgess, A8)
Additions/Alterations:	1888, interior alterations, Charles Mancel Willmot, architect; 1889, laundry (now Don Jail Annex) added, Charles Mancel Willmot, architect; 1940s and 1970s, ventilation towers removed from wings 1955-1958, East Wing (now Toronto Jail) added, Barnett and Rieder, architects; 1986, brick fences (enclosing exercise yards to north and west) removed;

City of Toronto By-law No. 410-2000

dates unknown, Sally Port added in east wing basement (for adjacent Toronto Jail); brick chimney removed; interior alterations to upper floors of centre block

Original Owner: City of Toronto

Original Use: institutional (jail)

Current Use*: institutional (jail); * this does not refer to permitted use(s) as defined in the Zoning By-law

Heritage Category: Category A

Recording Date/Recorder: February 2000/KA

HISTORICAL BACKGROUND:**Riverdale:**

After the founding of Toronto as the Town of York in 1793, Lieutenant-Governor John Graves Simcoe directed the division of portions of land around the townsite into a series of Park Lots and farm lots that were distributed to government and military officials. Lot 15 in Concession 1 from the Bay was awarded to John Scadding (c.1754-1824), the manager of Simcoe's Wolford Estate in Devonshire. During Simcoe's tenure in North America from 1791 to 1796, Scadding accompanied him as his secretary. The Don River and present-day Queen Street East, Broadview Avenue and Danforth Avenue delineate Scadding's allotment. In 1798, he erected a log cabin near Queen Street that was later relocated to Exhibition Place. The oldest known surviving building in Toronto, Scadding Cabin is listed on the *City of Toronto Inventory of Heritage Properties*. Scadding returned to Canada in 1821, selling the south half of his farm lot and building a second house on the property now occupied by the Don Jail.

In 1856, the heirs of the Scadding property sold nearly 120 acres north of present-day Gerrard Street East to the City of Toronto as the future location of an "Industrial Farm, House of Refuge, and Jail for City and County". A commission for the city's fourth prison was awarded in 1857, and a House of Industry and Refuge "for the less criminal portion of the disorderly population" opened on the property north of the jail site by 1860. The House of Industry was converted into an isolation hospital for smallpox victims prior to its demolition in 1894. It was the forerunner of present-day Riverdale Hospital.

When the House of Industry and the fourth Toronto Jail (Don Jail) opened, their location was outside the city boundaries. With the second Toronto General Hospital (1855) on the west bank of the Don River, the area was reserved for institutional uses and parkland. The City opened Riverdale Park on either side of the Don Valley in 1880. With the construction and improvement of bridges across the lower Don River, residential development began east of the valley. In 1884, the City of Toronto annexed Riverdale.

Don Jail and architect William Thomas:

In 1799, the first York Jail opened on King Street East. It was superseded by a second jail, completed in 1827 on Courthouse Square in the block bounded by King, Toronto, Newgate (Adelaide) and Church Streets. Plans for subsequent prisons in the city reflected new approaches to the incarceration of prisoners. In the 18th century, prisons served to confine and reform offenders. The movement to improve prison conditions began in 1777 when John Howard, an English sheriff, documented the deplorable treatment of inmates in his book, "The State of the Prisons in England and Wales". In North America, two conflicting approaches to punishment emerged. The "Pennsylvania System" was based on the belief that solitary confinement promoted the self-examination and reflection of prisoners. Eastern Penitentiary near Cherry Hill, Pennsylvania (1820) adapted a panopticon plan first published by Jeremy Bentham, an English political economist, in 1791. In this scheme, a central observation block provided views into the radiating wings where individual cells flanked interior corridors. The Pennsylvania System was adopted throughout the Western world, and Eastern Penitentiary was regarded as a model prison. The opposing "Auburn

System”, named for Auburn Penitentiary (1816-1825) in New York State, was restricted to North America. At Auburn, reform was based on a congregate system, rather than solitary confinement. Prisoners worked during the day and, at night, were jailed in cells placed back-to-back in common areas with natural light and ventilation.

In Toronto, a third City Jail opened in 1838 on the southeast corner of Front and Berkeley Streets, a site previously occupied by the first and second provincial Parliament Buildings. Architect John Howard used a panopticon plan with a central hexagonal pavilion, two adjoining wings and room to add a third. This facility was vacated in 1865 following the opening of the fourth City Jail, later known as the Don Jail.

In 1857, Toronto City Council awarded the commission to design the new prison to the Toronto architectural firm of William Thomas and Sons. The founder, William Thomas (1799-1860), was born in Suffolk and raised in Gloucestershire. Between 1814 and 1820, he apprenticed as a carpenter/joiner with John Gardiner, a builder. His brother, John Thomas, became a noted architectural sculptor who assisted the renowned English architect, Sir Charles Barry, on the Houses of Parliament.

Following his apprenticeship, William Thomas relocated to Birmingham where he worked for Richard Tutin, a builder and surveyor. When the pair formed a partnership, the firm was listed as “Tutin and Thomas, architects and surveyors” (McArthur, xvii). After Tutin died in 1832, Thomas moved to Leamington Spa, a resort town where he designed chapels and residences. In 1839, he received a major commission for the Church of St. Matthew’s in Duddeston, near Birmingham. During this period, Thomas published a book entitled “Designs for Monuments and Chimney Pieces”.

Seeking financial opportunities, William Thomas immigrated to Canada in 1843. His earliest surviving commission is the Commercial Bank of the Midland District, originally located on Wellington Street West near Yonge Street. Dating to 1845, it is the second oldest remaining bank building in Toronto (after the Bank of Upper Canada on Adelaide Street East), one of the oldest stone structures in the city, and a rare example of Greek Revival styling. The Commercial Bank was dismantled and reassembled inside the Galleria at BCE Place in 1992. This project helped establish Thomas’ reputation as an important and sought after architect. Commissions for St. Michael’s Cathedral on Bond Street (1845-1848), the Bishop’s Palace on Church Street (1845-1846), Oakham Hall (William Thomas House) on Church Street (1848), and St. Lawrence Hall on King Street East (1850-1851) followed. All of the latter properties are included on the *City of Toronto Inventory of Heritage Properties*. Thomas’ practice extended across the province and country where he designed 30 churches. Among his notable commissions in Ontario were the Jail in Simcoe (1846), the Second Brock’s Monument in Queenston (1853), and the Guelph Town Hall (1856). William Thomas was the co-founder with architect John George Howard of the Toronto Society of Architects in 1847. Two years later, he was a founding member of the Canadian Institute. Following the Great Fire of 1849 that destroyed most of the Old Town of York, Toronto City Council appointed Thomas chairman of a committee to draft new legislation to improve building conditions. William Thomas trained several apprentices who went on to become successful architects, among them William Storm (1826-1892) and James Avon Smith (1832-1918).

The commission for the Don Jail carried the proviso that the building be modelled on the Pentonville Prison in London, England, completed in 1842. Designed by Sir Joshua Jebb with assistance from Sir Charles Barry, the complex featured a panopticon plan with a centre pavilion and four radiating wings. William Thomas' original plans for the Don Jail followed this configuration, with a centre block flanked by two side wings (east and west) and two diagonal rear wings. Plans for the centre block had areas for reception, administration, education and services, an apartment for the Governor, and a chapel. A rotunda for communal activity and for the observation of the cellblocks in the adjoining wings was placed at the centre. The wings were organized to accommodate different categories, ages and sexes of prisoners. Plans for the side wings showed the placement of the cells along the exterior walls flanking a central inspection corridor. The rear wings were arranged differently, with corridors along the outside walls and, in the centre, blocks of cells placed back-to-back.

The construction of the Don Jail involved a series of delays, changes in contractors and suppliers, and financial constraints. The original plans were altered to reflect changing needs and new requirements imposed by the provincial government that was partly financing the prison. The two-storey chapel planned for the centre block was reduced to a single storey, and a floor was added to accommodate schoolrooms and an infirmary. The rear wings were eliminated, and the interior arrangement of the side wings was changed to include pairs of back-to-back cells with corridors along the walls. With this alteration, the design of the complex changed from a panopticon plan to one reflecting the "Auburn System" of prison organization. While a fire severely damaged the centre block in 1862, construction continued. With the exception of the removal of the rear wings, the exterior of the building reflected William Thomas' original vision for the project. He died during its construction and William Tutin Thomas (1829-1892) and Cyrus Pole Thomas (1833-1911), partners with their father in the firm of William Thomas and Sons, completed the jail. When the building was finished, the brothers relocated to Montreal where they shared a practice until 1871.

Opening in 1864, the Don Jail was the largest of the reforming prisons of the mid-19th century in North America. A report to Toronto City Council boasted that "in workmanship, in material, in design, in safety and architectural appearance, this building is second to none in Canada." Prisoners worked on the adjacent jail farm where, in 1865, an inspector reported that "ten to twelve acres of oats and peas failed, but potatoes were abundant". Participants in the Fenian Raids of the 1860s were among the first prisoners. George Bennett was incarcerated at the Don Jail in 1880 where he was hanged for the murder of George Brown, the publisher of the "Globe" newspaper. In the 1940s, Edwin Alonzo Boyd, the son of a Toronto policeman and leader of the Boyd Gang of bank robbers, gained notoriety for escaping from the Don Jail not once but twice. In 1962, Ronald Turpin and Arthur Lucas were the last of the 70 men hanged at the prison before capital punishment was abolished in Canada.

To relieve the congestion in the Don Jail, the Central Prison for Men operated on Strachan Avenue from 1887 until 1915 when new correctional facilities were completed in Guelph and the Langstaff Jail Farm was opened in Richmond Hill. In 1958, control of the Don Jail passed from the City of Toronto to the newly created Municipality of Metropolitan Toronto. In that year, to alleviate the poor conditions and overcrowding in the Don Jail, the Toronto Jail opened on the adjoining site. The Province of Ontario's Ministry of Correctional Services assumed responsibility for the property in the late 1960s. Following the opening of the Toronto East Detention Centre, the Don Jail closed in

1977. For the remainder of the 20th century, the complex was used for storage and as the setting for film productions. The Don Jail was listed on the *City of Toronto Inventory of Heritage Properties* on June 20, 1973.

ARCHITECTURAL DESCRIPTION:

Exterior: Don Jail

The Don Jail is designed in the Renaissance Revival style where the composition, scale and detailing are adopted from Italian Renaissance models. In 1829, English architect Sir Charles Barry revived interest in the architecture of 16th century Rome and Florence in his designs for the Travellers' Club in London. The exaggerated detailing of Italian Mannerism is reflected in the vermiculated ("worm-like") stonework used in Renaissance Revival schemes. Barry used this device on the Pentonville Penitentiary, which provided a prototype for the Don Jail (McArthur, 126). The imposing style is an apt choice for a prison where "the plainness and monotony of the elevation is entirely consistent with the expression demanded of architecture in the period and was seen as the necessary counterpart in built form to the life within the walls" (THB, 1974).

The Don Jail is constructed of brick from Toronto brickyards and stone from quarries along the Niagara Escarpment and in Ohio. Stone, wood and iron is applied for exterior and interior trim. The structure rests on a rusticated limestone base with a full basement lighted by small windows. A rare structural floor system is composed of stone slabs on cast iron joints for the main floor, attic floor and cells (Stevens Burgess, D42). The balanced axial plan features a centre block that rises four stories on the principal (south) façade. Behind a centrally placed rotunda, the rear of the centre block extends 3½ stories to match the height of the adjoining side wings (east and west). The hip roof covering the centre block has a pediment on the south face and a gable with returned eaves on the rear (north) slope. The half-octagonal rotunda with clerestory windows and a skylight (now covered) rises above the centre of the roof. The side wings are protected by gable roofs and originally featured ventilation towers that were removed in the 20th century. The roofs were formerly clad with slate.

Attention is focused on the principal (south) façade of the centre block with its elaborate detailing and sandstone cladding. Yellow brick that complements the sandstone is applied on the remaining walls of the centre block and on the wings. On all elevations of the building, segmental-headed window openings display corbelled stone sills and moulded stone surrounds with keystones and quoins. The openings contain double-hung wood windows with iron bars.

The south façade of the centre block is organized into five bays. The principal entrance is centred in the lower wall. An elaborate entrance surround has a bracketed entablature supported on a pair of Doric columns with vermiculated bands. The surround incorporates a round-arched opening where vermiculated stone is applied on the radiating voussoirs that wrap inside the porch. Overhead, a keystone with the head of a bearded man represents "Blind Justice" or "Father Time". Inside the archway, barred windows flank doubled panelled wood doors with the original hardware. A tympanum containing vermiculated stone surmounts the doors.

On either side of the entrance, the lower two floors are faced with smooth stone. Rusticated stone piers frame and separate the window openings. A moulded belt course runs above the second-floor

openings, dividing the façade into two parts. In the upper floors, rusticated stone piers organize the window openings. Segmental-arched surrounds rise two stories to contain the third- and fourth-floor windows. A stone entablature surmounts each window surround. A projecting cornice with moulded brackets and modillion blocks tops the wall.

The remaining walls of the centre block, and the exposed elevations of the wings, are simply executed with plain brick cladding and a symmetrical arrangement of segmental-headed window openings. The openings are reduced in height on the wings and the rear (north) wall of the centre block. On the latter elevation, the attic level contains a trio of round-headed windows with a continuous sill. On each wing, there is projection on the north wall for the gun tower (west) and gallows (east). The building is extended to the west by the laundry (annex) that is not included in the Reasons for Designation.

Interior: Don Jail

On the interior, the centre block contains the entrance hall and offices (front), rotunda (centre), and chapel and services rooms (rear). The flanking wings have cellblocks and prisoner day rooms. The walls are faced with red brick. The ground floor of the centre block and the floors in the cells are composed of Ohio sandstone flags. The remaining floors are wood clad. Cast iron is applied for the balconies in the Rotunda and for the stairs.

In the entrance hall, four stone stairways lead to the basement and a balustraded wood stair serves the upper floors of the centre block. Flanking the entrance hall, the Governor's office (later administration) on the west and service room to the east display wood mantelpieces and trim. North of the entrance hall, the three-storey rotunda in the centre block is an important area. The rotunda has a half-octagonal plan, the shape of which is repeated in the multi-paned skylight (now covered over) in the roof. There are clerestory windows in the upper storey and wrap-around balconies with iron railings at the second and third-floor levels. The balconies are supported on cast iron brackets that incorporate the shapes of serpents and gryphons. The original circular iron staircase leading from the main floor to the balcony was replaced. The plaster walls are scored to replicate stone coursing.

The centre block is separated from the wings on either side by a three-storey archway with a cast iron security grille in each floor and an iron-filled fanlight above. Inside each wing, an open iron staircase provides access from the second to the third floors. Each three-storey wing has a central row of back-to-back cells with day rooms (corridors) on either side. The cells retain their cast iron bars.

CONTEXT:

The Don Jail is located on the north side of Gerrard Street East between St. Matthew's Road and Broadview Avenue. The building is elevated above the adjoining streets. On the west, the property overlooks the Don Valley. The open space in front (south) of the Don Jail is reinforced by the grounds of St. Matthew's Lawn Bowling Club (clubhouse, 1906) and a section of Riverdale Park. The Don Jail is flanked on the east by the Toronto Jail (1955-1958) and to the north by the buildings of Riverdale Hospital (1961-1963). A curving road named Don Jail Roadway separates the Don Jail

from the Gatekeeper's House (1865), the Governor's House (1888), and the Riverdale Branch of the Toronto Public Library (1909-1910) located at the northwest corner of Gerrard Street East and Broadview Avenue. The library branch and the lawn bowling clubhouse are identified on the *City of Toronto Inventory of Heritage Properties*.

The Don Jail is part of an important institutional enclave on the east bank of the Don Valley overlooking Gerrard Street East. The adjacent Governor's House and Gatekeeper's House are important vestiges of the original Don Jail property. The Riverdale Library is located on the site of the gardens of the Governor's House. The last branch constructed in Toronto with funding from the Carnegie Foundation, the Riverdale Library is one of six corner Carnegie libraries in Ontario.

With its elevated setting, the Don Jail is viewed from many vantagepoints. It is a landmark in the Riverdale neighbourhood and in the City of Toronto.

SUMMARY:

The property at 550 Gerrard Street East is identified for architectural and historical reasons. The Don Jail was constructed from 1859-1864 according to the designs of early Toronto architect William Thomas. Historically, the Don Jail embodied progressive ideas of penal reform in the 19th century. Compared with the general conditions of the time, the Don Jail attempted to provide an appropriate setting for the reform of offenders. With Osgoode Hall (1829-1832 ff.), the Seventh Post Office on Toronto Street (1851-1853), and St. Lawrence Hall (1850), the Don Jail is among the most important public buildings erected in Toronto during the mid-19th century.

The Don Jail is an excellent example of Renaissance Revival styling, highlighted by the craftsmanship of its stone detailing. It is a rare example of period design in Canada, where most mid-19th century jails were integrated into courthouse complexes. The styling and mass of the building, with rusticated stonework and barred windows, supports its purpose and emphasizes its perceived impregnability.

The landscaped setting remains and is reinforced by the lawn bowling club and the park to southwest. The Don Jail is a conspicuous landmark in the neighbourhood and the City of Toronto.

In use for over a century, the Don Jail is an integral part of the history and development of the City of Toronto and of Canada's penal system.

Sources:

Ameline, Jane, and Barbara Myrvold. "A Brief History of the Riverdale Branch Library". Toronto: Toronto Public Library Board, 1993.

Arthur, Eric. Toronto: No Mean City. 3rd ed. Rev. and ed. by Stephen A. Otto. Toronto: University of Toronto, 1986.

Bezedits, Stephen. Eminent Toronto Architects of the Past. Toronto: B and L Information Services, 1983.

- Blumenson, John. Ontario Architecture. Toronto: Fitzhenry and Whiteside, 1990.
- Dendy, William, and William Kilbourn. Toronto Observed. Toronto: Oxford University Press, 1986.
- Goad's Fire Insurance Atlases, City of Toronto, 1884 ff..
- Johnson, Dana. "Prison Architecture". Entry in The Canadian Encyclopedia. Year 2000 edition. Toronto: McClelland and Stewart, 1999.
- Jones, Donald. "St. Lawrence Hall was saved but his Don Jail is scorned". Toronto Star (7 January 1978) G11.
- "World War I hero the pride of Don Jail". Toronto Star (18 Mar 1989) M4.
- Lundell, Liz. The Estates of Old Toronto. Erin, Ont.: Boston Mills Press, 1997.
- Macrae, Marion, and Anthony Adamson. Cornerstones of Order: Courthouses and Town Hall of Ontario, 1784-1919. Toronto: Clarke-Irwin, 1983.
- "Managing Director's Report, 550 Gerrard Street East". Toronto Historical Board, December 10, 1974.
- McArthur, Glenn, and Annie Szamosi. William Thomas, Architect, 1799-1860. Ottawa: Carleton University Press, 1996.
- McHugh, Patricia. Toronto Architecture: A City Guide. 2nd ed. Toronto: McClelland and Stewart, 1989.
- Middleton, Robin, and David Watkin. Neoclassical and 19th Century Architecture. Vol. II. New York: Rizzoli, 1980.
- Minutes, Toronto City Council, January 11, 1865, Appendix No. 136 (Jail Inspectors Report to City Council Members).
- Pevsner, Nikolaus. A History of Building Types. Princeton, NJ: Princeton University Press, 1976.
- Presentation on Canadian prison architecture by Dana Johnson for the Don Jail Task Force, March 27, 1995.
- Sauriol, Charles. Remembering the Don. Scarborough, Ont.: Consolidated Amethyst Communications, 1981.
- Scadding, Henry. Toronto of Old (1873). Reprint. Toronto: Oxford University Press, 1966.
-

Stevens Burgess Architects. "Heritage Significance Study. The Old Don Jail, 550 Gerrard Street East, Toronto". November 30, 1995.

Strange, Carolyn. Imposing Goodness: Crime and Justice in "Toronto the Good" 1793-1953. Toronto: Archives/Heritage Centre of the Law Society of Upper Canada with the Market Gallery of the City of Toronto Archives, 1991.

Attachment I:

Short Statement of Reasons for Designation

Don Jail
550 Gerrard Street East

The property at 550 Gerrard Street East is designated for architectural and historical reasons. The Don Jail was constructed in 1859-1864 according to the designs of the early Toronto architect William Thomas. The Don Jail embodied progressive ideas of prison reform in the 19th century and attempted to provide an appropriate setting for the reform of offenders.

The Don Jail is an excellent example of Renaissance Revival styling, highlighted by the craftsmanship of the stone detailing. The building is constructed of brick, faced with stone and brick, and trimmed with stone, wood and iron. The plan features a four-storey centre block flanked by 3½-storey side wings (east and west). A hip roof with gables and a half-octagonal skylight covers the centre block, and gabled roofs protect the wings (the slate cladding and ventilation towers were removed). On the principal (south) façade, the entrance is placed in an arched stone surround with banded columns, entablature, keystone, and vermiculated voussoirs and tympanum. Double wood panelled doors retain the original hardware. The south façade has rusticated piers, a moulded belt course, and a cornice with modillion blocks and brackets. All of the walls display segmental-headed openings with stone sills and surrounds, and wood windows with iron bars.

The first-floor entrance hall, Governor's Room and service room, the three-storey Rotunda with clerestory windows and cast iron balconies, and the adjoining cellblocks with ironwork grilles, cell doors and staircases are significant interior areas. A rare structural floor system is composed of stone slabs on cast iron joints for the main floor, attic floor and cells. The interior elements are described in detail in the Heritage Property Report (Long Statement of Reasons for Designation).

Located on the north side of Gerrard Street East between the Don Valley and Broadview Avenue, the Don Jail retains its landscaped setting with parkland to the south and west. Used for over a century, the Don Jail is an integral part of the history and development of the City of Toronto and of Canada's penal system. It is a rare example of period design in Canada, where most jails were integrated into courthouse complexes. One of the most important mid-19th century public buildings constructed in Toronto, the Don Jail is a conspicuous landmark in the Riverdale neighbourhood and in the city.

SCHEDULE "B"

Subject: By-law Designation of premises 550 Gerrard Street East (Don Jail) Under Part IV of the Ontario Heritage Act File: G4-H4

In the City of Toronto and Province of Ontario, being composed of part of Lot 15 in Concession 1 from the Bay in the Geographic Township of York, the boundaries of the land being described as follows:

PREMISING that the bearings hereinafter mentioned are astronomic and are referred to the northerly limit of Gerrard Street East as widened by City of Toronto By-law No. 9242 (Instrument 88254P) having a bearing of North 68 degrees, 54 minutes East as shown on Plan RD-136 deposited in the Land Registry Office for the Metropolitan Toronto Registry Division (No. 64) and relating all bearings herein, thereto;

COMMENCING at a point in the westerly limit of Broadview Avenue, distant 9.14 metres measured North 17 degrees, 02 minutes West from a point distant 69.11 metres measured North 16 degrees, 55 minutes West from the intersection of the westerly limit of Broadview Avenue with the said northerly limit of Gerrard Street East as widened;

THENCE North 17 degrees, 02 minutes West along the said westerly limit of Broadview Avenue, 54.67 metres;

THENCE South 72 degrees, 26 minutes West a distance of 137.64 metres;

THENCE South 17 degrees, 27 minutes East a distance of 26.17 metres;

THENCE South 72 degrees, 32 minutes West a distance of 33.44 metres;

THENCE South 17 degrees, 29 minutes East a distance of 34.38 metres;

THENCE North 74 degrees, 24 minutes East a distance of 27.03 metres;

THENCE South 75 degrees, 56 minutes East a distance of 7.00 metres;

THENCE South 18 degrees, 24 minutes East a distance of 68.47 metres to the north-westerly limit of Don Jail Roadway as dedicated for Public Highway purposes by City of Toronto By-law No. 20324, (Instrument 85725ER);

THENCE north-easterly along the said north-westerly limit of Don Jail Roadway on a curve to the left having a radius of 59.74 metres, an arc distance of 15.66 metres, the chord equivalent being 15.62 metres measured North 31 degrees, 52 minutes, 44 seconds East;

THENCE North 24 degrees, 22 minutes East and continuing along the said north-westerly limit of Don Jail Roadway 51.49 metres;

THENCE north-easterly and continuing along the said north-westerly limit of Don Jail Roadway on a curve to the right having a radius of 65.33 metres, an arc distance of 55.43 metres, the chord equivalent being 53.79 metres measured North 48 degrees, 40 minutes, 30 seconds East;

THENCE North 72 degrees, 59 minutes East and continuing along the said north-westerly limit of Don Jail Roadway 31.93 metres;

THENCE north-easterly on a curve to the left having a radius of 9.14 metres, an arc distance of 14.37 metres, the chord equivalent being 12.94 metres measured North 27 degrees, 58 minutes, 30 seconds East to the point of commencement;

SUBJECT to a Right-of-way in favour of the City of Toronto, its successors and assigns, in, over, along and upon part of the hereinbefore described parcel of land, the boundaries of the said Right-of-way being described as follows:

COMMENCING at a point in the westerly limit of Broadview Avenue, distant 63.82 metres measured North 17 degrees, 02 minutes West from a point distant 69.11 metres measured North 16 degrees, 55 minutes West from the intersection of the westerly limit of Broadview Avenue with the said northerly limit of Gerrard Street East as widened;

THENCE South 72 degrees, 26 minutes West a distance of 137.64 metres;

THENCE South 17 degrees, 27 minutes East distance of 3.05 metres;

THENCE North 72 degrees, 26 minutes East a distance of 137.61 metres to the said westerly limit of Broadview Avenue;

THENCE North 17 degrees, 02 minutes West along the said westerly limit of Broadview Avenue, 3.05 metres more or less to the point of commencement;

SUBJECT to a Right-of-way in favour of the City of Toronto, its successors and assigns, in, over, along and upon part of the hereinbefore described parcel of land, the boundaries of the said Right-of-way being described as follows:

COMMENCING at a point in the said Lot 15, which may be located as follows:

BEGINNING at the intersection of the said northerly limit of Gerrard Street East as widened, with the westerly limit of Broadview Avenue;

THENCE North 16 degrees, 55 minutes West a distance of 69.11 metres;

THENCE North 17 degrees, 02 minutes West a distance of 63.82 metres to a point in the westerly limit of Broadview Avenue;

THENCE South 72 degrees, 26 minutes West a distance of 137.64 metres;

THENCE South 17 degrees, 27 minutes East a distance of 26.17 metres;

THENCE South 72 degrees, 32 minutes West a distance of 33.44 metres to the said point of commencement;

THENCE South 17 degrees, 29 minutes East a distance of 34.38 metres;

THENCE North 74 degrees, 24 minutes East a distance of 4.27 metres;


THENCE North 17 degrees, 29 minutes West a distance of 34.52 metres;

THENCE South 72 degrees, 32 minutes West a distance of 4.27 metres more or less to the point of commencement;

The said land being most recently described in Instrument 134605ER (FIRSTLY).

The hereinbefore described land being delineated by heavy outline on Plan SYE 2946 dated June 14, 2000, as set out in Schedule "C".

Schedule "C"




 Premises No. 550 Gerrard Street East

NOTE:
THIS SKETCH IS NOT A PLAN OF SURVEY AND HAS BEEN COMPILED FROM SURVEY NOTES AND OFFICE RECORDS, IT SHALL NOT BE USED EXCEPT FOR THE PURPOSE INDICATED IN THE TITLE BLOCK.

Toronto
WORKS AND EMERGENCY SERVICES

SKETCH TO ILLUSTRATE
**LAND DESIGNATED AS
BEING OF ARCHITECTURAL AND
HISTORICAL VALUE OR INTEREST**

RATIO 1:200
Metres  Metres

Drawn <u>M.</u>	W. Kowolenko-City Surveyor	
Checked <u>W.J.M.</u>	FILE	PLAN SYE2946
Date: JUNE 14, 2000	G4-H4	

SYE2946